

Dec 5

Work Order ID 75471

75471

October-24-11 10:17:57 AM

Item ID: D2620 ✓ Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Skidtube, 206 Skidtube
 Start Date: 24/10/2011 Start Qty: 10.00 *10* Cust Item ID:
 Required Date: 01/12/2011 Req'd Qty: 10.00 *10* Customer:
 Reference:

Approvals: Process Plan: M.L.J Date: 11/10/24 Tooling: Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2620	Rev B								

100 0.00
 100 Skidtubes
 Skidtubes Memo 0.00
 Skidtubes 1-Bend extrusion as per Dwg D2620 using CNC Bending Machine program
 206.A and Folio Ft0082- Cut Fwd end of tube as per Dwg D2620 SAD 11-11-24

110 0.00
 110 QC
 Quality Control Memo 0.00
 11-11-24

120 0.00
 120 Packaging
 Packaging Identify as per dwg & Stock Location: 46 Memo 0.00
 11-11-24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 75471***75471***

Page 2

October-24-11 10:17:57 AM

Item ID: D2620 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Skidtube, 206 Skidtube
Start Date: 24/10/2011 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 01/12/2011 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC21- Final Inspection - Work Order Release	0.00							
130									
QC	Memo	0.00							
Quality Control									

11/12/13

CL11/12/09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

October-24-11 10:18:02 AM

Page 1

Work Order ID: 75471

75471

Parent Item: D2620

D2620

Parent Item Name: Skidtube, 206 Skidtube

Start Date: 24/10/2011

Required Date: 01/12/2011

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP D02.07.26Change Dwg to rev.B; Updated LocationRF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2600-1-160 120		Manufactured	No			100	Each	53.0000	1	10			
D2600-1-160									**	SAD 11-11-24			
Extrusion Round 3" 206													

X

Location

Loc Qty

Loc Code

LG

53

B73804

10

43969

2

59875

2

68284

49

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING

206 SKIDTUBE BENDING



DAMAGE TOLERANCE

1. THERE SHOULD BE NO VISIBLE WRINKLES BELOW 5.0 AFTER BENDING.
2. GOUGES UP TO 0.020 DEEP ARE ACCEPTABLE IN BENT PORTION OF THE TUBE. NO GOUGES ARE ACCEPTABLE IN THE FLAT PORTION OF THE TUBE. DEEPER GOUGES ARE ACCEPTABLE IN THE PORTION OF THE TUBE ABOVE 5.0.
3. TUBE WIDTH SHOULD BE 3.20 ± 0.200 IN THE BEND. TUBE WIDTH SHOULD BE 3.200 ± 0.010 IN THE FLAT PORTION OF THE TUBE.
4. TUBE HEIGHT SHOULD BE 3.15 ± 0.200 IN THE BEND. TUBE HEIGHT SHOULD BE 3.150 ± 0.010 IN THE FLAT PORTION OF THE TUBE.

NOTE: ALL DIMENSIONS ARE IN INCHES

DART



DESIGN	DRAWN BY	DART AEROSPACE USA, INC.
CHECKED	APPROVED	FAIRCHILD INTERNATIONAL AIRPORT, WA
DATE	TITLE	REV. B
99.09.10	206 SKIDTUBE BENDING CONTROL	SHEET 1 OF 1
A	NEW ISSUE	SCALE
B	UPDATE FOR IN-HOUSE BENDING	1:20

RELEASED
99.09.15 DS

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries